



# NTN-SNR BEARING LIMITED



2MMVC9118HX TUL Bearing 2D drawings and 3D CAD models

3.543 Inch | 90 Millimeter x 5.512 Inch | 140 Millimeter x 2.835 Inch | 72 Millimeter TIMKEN 2MMVC9118HX TUL Precision Ball Bearings

Bearing No. 2MMVC9118HX TUL

|                      |   |
|----------------------|---|
| Category             | Precision Ball Bearings   |
| Inventory            | 0.0   |
| Manufacturer Name    | TIMKEN  |
| Minimum Buy Quantity | N/A   |
| Weight               | 3.955   |
| EAN                  | 0087796228924   |
| Product Group        | B04270  |
| Enclosure            | Open  |
| Precision Class      | ABEC 7   ISO P4   |
| Material - Ball      | Ceramic   |
| Number of Bearings   | 3 (1 Triplex Set)   |
| Contact Angle        | 15 Degree   |
| Preload              | Light   |
| Raceway Style        | 1 Rib Inner Ring and Outer Ring   |
| Cage Material        | Phenolic  |
| Rolling Element      | Ball Bearing  |
| Mounting Arrangement | Triplex-Universal   |
| Flush Ground         | Yes   |
| Inch - Metric        | Metric  |
| Other Features       | Single Row   Angular Contact   Super High Precision   Hybrid   Corrosion Resistant Ball |
| Long Description     | 90MM Bore; 140MM Outside Diameter; 72MM   |



## NTN-SNR BEARING LIMITED

|                          |  |
|--------------------------|--|
|                          | Width; Open Enclosure;<br>ABEC 7   ISO P4 Precision;<br>Ceramic Ball Material; 3 (1<br>Triplex Set) Bearings; 15<br>Degree Contact Angle;<br>Phenolic Cage Material; 1<br>Rib Inne |
| Category                 | Precision Ball Bearings  |
| UNSPSC                   | 31171531   |
| Harmonized Tariff Code   | 8482.10.50.28  |
| Noun                     | Bearing  |
| Keyword String           | Angular Contact Ball   |
| Manufacturer URL         | <a href="http://www.timken.com">http://www.timken.com</a>  |
| Manufacturer Item Number | 2MMVC9118HX TUL  |
| Weight / LBS             | 8.72   |
| d                        | 3.543 Inch   90 Millimeter   |
| B                        | 2.835 Inch   72 Millimeter   |
| D                        | 5.512 Inch   140 Millimeter  |